

## Storm Water Control Valve

Identification	
Title	SW_CNT_VLV
Abstract	
<p><b>Purpose:</b> The points were captured to represent the intersection of drainage features that require flow/volume control.  <b>Feature:</b> Storm Water Control Valve. A Device used to restrict portions of a pipeline or storm water distribution system.  <b>Delineation:</b> The limit of a Storm Water Control Valve is the intersection of linear devices designed to carry storm water.  <b>Representation Rules:</b> Represent as a 0-dimensional object (point).  <b>Capture Conditions:</b> Capture the centerline of the culvert.  <b>Capture Scale(s):</b> 1:1200 &amp; 1:2400  <b>Attribute Definitions:</b> (CNTVLV_TYP)            AIR RELEASE            ATTITUDE            BACKFLOW            DOUBLE CHECK            SIMPLE CHECK            VACUUM RELEASE  <b>Projected coordinate system:</b> NAD 1983, StatePlane Arkansas North, FIPS 0301, Feet  <b>Area Coverage:</b> County-wide, Lat-long Range: (-92.757101 to -92.029881), (34.491824 – 35.013705)  <b>References:</b> U.S. Geological Survey, Standards for 1:24,000-Scale Digital Line Graphs and Quadrangle Maps (DLG-F), pp. 6-20 through 6-31.</p>	
Primary Capture Date	2010
In Service Date	Undetermined
Status, Progress	Active
File Type	Geodatabase, delivered as shapefile
File Location	Unknown
Status, Maintenance and Update Frequency	Under Development
Spatial Data Organization Information	
Indirect Spatial Reference	None
Direct Spatial Reference Method	Vector
Metadata Reference Information	
Metadata Date	None
Metadata Contact	PAGis Technical Manager

<b>Metadata Standard Name</b>	FGDC		
<b>Metadata Standard Version</b>	FGDC		
<b>Entity and Attribute Information: Polylines</b> (Attributes with an asterisk (*) are removed before delivery; double stars (**) are generated at delivery from related columns.)			
<b>Attribute Type Label</b>	<b>Attribute Type Definition</b>	<b>Attribute Domain Values</b>	<b>Attribute Description</b>
<b>OBJECTID</b>	Double(10)	Enumerated domain	Unique number, assigned by ARCMAP.
<b>CNVLV_UNIQ</b>	Double(10)	Enumerated domain	A unique number for each feature, used by PAgis. CNVLV_UNIQ values are never re-used.
<b>ANCILLARY</b>	Short(2)	1 (LITTLE ROCK) 2 (CAMMACK VILLAGE) 3 (PULASKI COUNTY) 4 (WRIGHTSVILLE) 5 (NORTH LITTLE ROCK) 6 (SHERWOOD) 7 (JACKSONVILLE) 8 (MAUMELLE) 9 (ALEXANDER) 99 (OUT OF AREA)	The name of the agency where the culvert is located.
<b>ENABLED</b>	Short(2)	True False	Indicates code for the type of culvert.
<b>FACILITYID</b>	Text(20)		Identification assigned by responsible member agency
<b>ASBUILTNUM</b>	Text(20)		Number of image file for Hot-Link display
<b>INSTALDATE</b>	Date		Date of physical installation of feature
<b>LOCDESCRB</b>	Text(200)		Description of physical location of feature
<b>LCYCLESTAT</b>	Text(20)	PROPOSED ACTIVE ABANDONED REMOVED DEAD UNKNOWN	Features actual field operational status
<b>CNTVLV_TYP</b>	Text(20)	1(AIR RELEASE) 2(ATTITUDE) 3(BACKFLOW) 4(DOUBLE CHECK) 5(SIMPLE CHECK) 6(VACUUM RELEASE)	Type of Control Valve
<b>DIAMETER</b>	Double(10)	Enumerated domain	Diameter of the Control Valve in inches
<b>LATITUDE</b>	Long Integer		Latitude of feature in layers coordinate system
<b>LONGITUDE</b>	Long Integer		Longitude of feature in layers coordinate system

<b>ATT_SOURCE</b>	Short(2)	0(UNDETERMINED) 1(SURVEYED DATA) 2(FIELD OBSERVATION)	Method used to capture feature attributes
<b>SPL_SOURCE</b>	Short(2)	1(SURVEY GRADE GPS) 2(MAPPING GRADE GPS) 3(DIGITAL DATA) 4(SCANNED HARDCOPY AND OR IMAGES)	Code that indicates method of spatial collection
<b>SASC</b>	Long(4)	See Appendix I	Spatial Acquisition Source Code: indicates the source of the data.
<b>VER_DATE*</b>	String(8)	YYYYMMDD	Indicates the date of the latest change.